

STATEMENT OF PRODUCT HAZARDOUS NATURE FOR

Build Tech Fast Floor Repair Mortar

This product is classified as hazardous according to criteria of NOHSC

This product is classified as Non Hazardous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

IDENTIFICATION OF SUPPLIER

Build Tech Supplies Pty Ltd 34 Derwent Park Rd Derwent Park Tasmania 7009

ABN: 52 140 573 431

Phone 03 62 735 800 (24 Hours)

Fax: 03 62 734977

HAZARDS IDENTIFICATION

HAZARD CLASSIFICATION:

Classified as a HAZARDOUS SUBSTANCE according to criteria of NOHSC. Classified as NON-DANGEROUS GOODS according to criteria of Australian

Dangerous Goods Code.

RISK PHRASES:

R37/38: Irritating to respiratory system and skin

R48/R20: Danger of serious damage to health by prolonged exposure through

inhalation

R41: Risk of serious damage to eyes.

SAFETY PHRASES:

S22: Do not breath dust **S25:** Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and

contact a doctor or Poisons Information Centre 13 11 26 (Australia-wide)

S28: After contact with skin, wash immediately with water (and soap if available)

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection **S38:** If insufficient ventilation, wear suitable respiratory equipment

COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENTS:

Chemical Name:Proportion:CAS Number:Portland cement30 - 60 %65997 - 15 - 1Crystalline silica (quartz)30 - 60 %14808 - 60 - 7Expansive cement1 - 10 %

Plasticiser – flow improver <1 %

Hydrogen evolving compounds

< 0.1%

Balance of formulation consists of ingredients below cut off rates or ingredients determined not to be hazardous.

FIRST AID MEASURES

INHALATION: If inhaled, remove patient from contaminated area to fresh air – avoid becoming

a casualty. Remove contaminated clothing and loosen remaining clothing. Lay patient down in a comfortable position, keep warm and rested. Seek medical attention if further symptoms develop. If not breathing, clear airway and apply

artificial respiration.

INGESTION: If swallowed, DO NOT induce vomiting. Rinse mouth with plenty of water. Seek

immediate medical advice from a doctor or the Poisons Information Centre

(13 11 26 Australia-wide).

SKIN: If skin or hair contact occurs, remove all contaminated clothing and wash before

reuse. Flush skin and/or hair with running water and soap if available. Seek

medical assistance if irritation persists.

EYES: If product comes into contact with eyes, hold eyelids apart and flush the eye

continuously with fresh running water. If pain persists or recurs seek medical

attention. Removal of contact lenses after an eye injury should only be

undertaken by skilled personnel.

FIRST AID FACILITIES:

Eye wash and normal washroom facilities.

ADVICE TO DOCTOR:

Treat symptomatically. POISON INFORMATION CENTRE - 13 11 26 Australia-

wide. This product is corrosive.

FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

Select to suit surrounding fire.

HAZARDS FROM COMBUSTION PRODUCTS:

Not applicable

SPECIAL PROTECTIVE PRECAUTIONS AND EQUIPMENT FOR FIRE FIGHTERS:

Fire fighters to wear self contained breathing apparatus. Avoid bodily contact with

substance or run-off.

HAZCHEM CODE: Not applicable **ADDITIONAL INFORMATION:**

Not applicable

ACCIDENTAL RELEASE MEASURES

EMERGENCY PROCEDURES:

Prevent material from entering storm water drains, waterways, basements or workpits. Wear dust mask. Wear protective goggles to prevent eye contamination. Sweep or vacuum material up without creating dust clouds. Collect material into clean, dry containers. Label containers correctly. Ensure area is thoroughly ventilated before recommencing work.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN UP:

Refer to State Land Waste Management Authority. Empty containers must be

decontaminated. Normally suitable for disposal at approved land waste sites.

HANDLING AND STORAGE

PRECAUTIONS FOR SAFE HANDLING:

Wear protective goggles/face shield and rubber gloves and barrier cream to prevent eye and skin contamination. Contact lenses pose a special hazard as they may absorb irritants. Suitable protective clothing, PVC gloves and boots should be worn. Use in a well ventilated area, preferably outdoors. General exhaust is normally adequate. If risk of overexposure exists, wear SAA approved dust respirator. Avoid generation or accumulation of dusts.

CONDITIONS FOR SAFE STORAGE:

Keep containers securely sealed when not in use. Avoid physical damage to containers. Store in a cool, dry, well-ventilated place out of direct sunlight. Keep away from strong acids.

INCOMPATIBILITIES:

No restrictions.

EXPOSURE CONTROLS / PERSONAL PROTECTION

NATIONAL EXPOSURE STANDARDS:

Exposure to dust should be kept as low as practicable, and below the NES for the product as listed below:

Crystalline silica (quartz) – 0.1 mg/m³ TWA as respirable dust Dust (NOS – not other specified) – 10mg/m³ TWA as inspirable dust

BIOLOGICAL LIMIT VALUES:

Not established for the product.

ENGINEERING CONTROLS:

If used in limited ventilation, ensure adequate ventilation to maintain exposure levels are kept below standards, by using a local exhaust. Keep containers closed when not in use.

PERSONAL PROTECTION:

Avoid unnecessary contact as good work practice. Wash contaminated clothing and protective equipment before storing and reuse. Wash hands before eating, smoking, or using the toilet.

RESPIRATORY PROTECTION:

The use of a respirator or other device is recommended where dust is being generated. For assistance in selecting suitable equipment consult AS/NZ1715.

EYE PROTECTION: Eye protective measures are normally necessary and are suggested when using

this product. Consult AS1336 and AS/NZ1337.

PROTECTIVE GLOVES:

Rubber, PVC or other protective gloves are necessary, and desirable, especially if this product is being used frequently or for lengthy periods. Consult AS2161 for

guidance.

CLOTHING: Clean overalls should be worn, preferably with an apron. Consult AS2919 for

clothing guidance.

SAFETY FOOTWEAR: Wearing safety boots is advisory. Consult AS/NZ2210 for advice on Occupational

Protective Footwear.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Fine grey powder

ODOUR: None
VAPOUR PRESSURE: Negligible
MELTING POINT: Not available
BOILING POINT: Not applicable

SOLUBILITY: Partly miscible in water

SPECIFIC GRAVITY: 1.5

FLASH POINT: Non-combustible

VOLATILE ORGANIC COMPONENT: Not stated
UPPER FLAMMABLE LIMIT: Not applicable
LOWER FLAMMABLE LIMIT: Not applicable

STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable

CONDITIONS TO AVOID: Keep away from strong acids

INCOMPATIBLE MATERIALS: No restrictions

HAZARDOUS DECOMPOSITION PRODUCTS:

Product is not combustible, however containers may burn.

HAZARDOUS REACTIONS: None

TOXICOLOGICAL INFORMATION

TOXICOLOGY INFORMATION:

No toxicity data is available for this product, however toxicity information for constituent ingredients are stated below.

This product contains a proportion of respirable free crystalline silica in the quartz component. Crystalline Silica is classified as a Class 1 Human Carcinogen according to IARC (International Agency for Research on Cancer), however research on this is inconclusive and the ASCC/NOHSC has yet to classify crystalline silica as a human carcinogen. Current research indicates no excess risk of lung cancer or other cancers from using these products. Repeated exposure to respirable crystalline silica dust may lead to silicosis, or other serious delayed lung injury. The onset of silicosis is usually slow and lung damage may occur even when no symptoms or signs of ill-health have occurred. Silicosis can develop to a more serious degree even after exposure has ceased, and may also lead to other diseases including heart disease and scleroderma.

Inhalation of dust, including crystalline silica dust, is considered by medical authorities to increase the risk of lung disease due to tobacco smoking.

HEALTH EFFECTS FROM THE LIKELY ROUTES OF EXPOSURE:

INHALATION: The dust is highly irritating to the upper respiratory tract and lungs, and may cause

coughing and sneezing.

Persons with pre-existing respiratory conditions may incur further disability if excessive concentrations of material are inhaled. Overexposure may cause

coughing, wheezing and irritation of nasal passages.

INGESTION: Highly irritating and mildly corrosive if swallowed. May result in nausea, abdominal

irritation, pain and vomiting. Ingestion is not expected to occur in normal

industrial use.

SKIN: Is irritating and may cause drying of the skin. May lead to dermatitis and in

some cases, sensitisation. The material may accentuate pre-existing skin conditions.

EYES: The dust is highly irritating and abrasive to the eyes and is capable of causing

pain and sever conjunctivitis.

Corneal injury may develop, with possible permanent impairment of vision

if not promptly and properly treated.

ECOLOGICAL INFORMATION

ECOTOXICITY: Not available **PERSISTENCE AND DEGRADIBILITY:**

Not available

MOBILITY: Not available ENVIRONMENTAL PROTECTION:

Not expected to create environmental hazards unless dumped in massive quantity.

DISPOSAL CONSIDERATIONS

DISPOSAL METHODS AND CONTAINERS:

Refer to State Land Waste Management Authority. Empty containers must be decontaminated. Normally suitable for disposal at approved land waste site.

TRANSPORT INFORMATION

UN NUMBER: None assigned

UN PROPER SHIPPING NAME:

None assigned

DANGEROUS GOODS CLASS:

None assigned

SUBSIDIARY RISK: None assigned PACKING GROUP: None assigned HAZCHEM CODE: None assigned SPECIAL PRECAUTIONS PER USER:

Keep containers tightly sealed when not in use. Store in a cool, dry, well-ventilated place and out of direct sunlight. Keep away from strong acids. No

regulatory requirements apply to the transport of this product.

REGULATORY INFORMATION

POISON SCHEDULE: Not scheduled OHS: Unregulated Unregulated

ADDITIONAL NATIONAL AND/OR INTERNATIONAL REGULATORY INFORMATION:

Unregulated

OTHER INFORMATION

This MSDS is valid until 01/09/2021